


CAROLI LINNÆI
 Archiat. Reg. & Med. ac Botan. Prof. Upsal.
 Naturæ Curiosorum DIOSCORIDIS secundi,
MATERIA
MEDICA,
 LIBER I. DE PLANTIS.

Secundum

Genera,	Differentias,	Synonyma,
Loca,	Durationes,	Culturas,
Nomina,	Simplicia,	Præparata,
Qualitates,	Modos,	Potentias,
Vires,	Usus,	Composita,
	Digestus,	

Cum Privilegio S. R. Mæti Suec. & S. R. Mæti Polon. ac Electoris Saxoniæ



Handwritten signature or name in cursive script.

HOLMIÆ,
 Typis ac sumptibus LAURENTII SALVII,
 Anno 1749.

DECANDRIA MONOGYNIA

Sophora Heptaphylla Spus Cholera

fitula

199. CASSIA foliolis quinquepinnis ovatis acuminatis
glabris petiolatis. *Fl. zeyl.* 149.

CONNA. *Rheed. mal.* 1. p. 37. t. 22. Chaiarsambar
Alp. egypt. 2. t. 1.

Loc: India orientalis, Ægyptus, Arabia, Mexico.
Arbor, ser.

PHARM: CASSIÆ fitula (*Siliqua*), pulpa.

QUAL: dulcis.

VIS: demulcens, eccoprotica, februm pungans.

USUS: Nephritis calculosi.

COMP: *Elect.* Diacath. *Conf.* Hamech.

Senna

200. CASSIA foliolis tripinnibus quadripinnibusque
subovatis. *Hort. cliff.* 159.

α SENNA alexandrina, foliis acutis. *Baub. pin.* 397. *Ray*
hist. 1742.

PHARM: SENNÆ ALEXANDRINÆ Folia, Fo-
lia f. f. *Syrup.* Foliculi.

β SENNA italica f. foliis obtusis. *Baub. pin.* 397.

Loc: in fatis Italiæ (β), & Indiæ (α).

Frutex, submansuetus.

PHARM: SENNÆ ITALICÆ Folia ʒj. *Extra-*
Hum ʒʒ.

QUAL: amara, nauseosa.

VIS: Purgans.

USUS: Obstipatio.

COMP: *Extr.* Panchymag; *El.* cathol; *Conf.* hamech; Decoctia.

201. TO-

201. TOLUIFERA. *Balsamum*

BALSAMUM Tolutanum foliis ceratiæ similibus. *Baub.*
pin. 401.

Loc: provincia Tolu prope Carthagenam America.

Arbor, peregrina.

PHARM: TOLU balsamum, *Syrupus balsamicus.*

QUAL: fusco-virescens, dulcis, fragrans, tenax, tandem fragilis.

Trita, præsans.

VIS: diuretica, vulneraria.

USUS: Phthisis, Punctura; Gonorrhœa.

COMP:

Moringa

202. GUILANDINA incermis, foliolis triplicato-pin-
natis: foliolis infimis ternatis. *Fl. Zeyl.* 155.

MORINGHA zeylonica, foliorum pinnis pinnatis,

Burm. zeyl. 162. t. 75.

Loc: Zeylona, Malabar. *Arbor, peregrina.*

PHARM: NEPHRITICUM lignum, *timolura.*

BEHEN ☉.

QUAL: flavo-pallescens, cœruleo tingens, subacris, amaricans.

Exoleta.

VIS: pellens, diuretica.

USUS: Scabies, Exanthemata.

COMP: ☉ basis balsamorum.

Hammatorylon Campechianum *Lyfonia*

203. CASALPINIA aculeis recurvis, foliolis emargin-
natis, Filamentis lanatis. *Fl. Zeyl.* 158.

SIAM-PANGAM. *Rheed. mal.* 6. p. 3. t. 2. *Sloan. jam.* 2.
p. 183. t. 10.

Loc: Zeylona, Malabar, Jamaica. *Arbor, peregrina.*

PHARM: CAMPECANUM (SAPPAN) Lignum.

QUAL: pallide fusco-rufa.

Exoleta.

VIS: Finchoia.

USUS: æconomicus.

COMP:

E 3

204. CÆ-

202. Behen Nux f. Balanus myristica quibusdam ex alia specie desumitur,
urum vero congeneri, adhuc dubium; hanc Hermanus declaravit.